



CJC

PATENT
ATTORNEY DOCKET NO.: JHU1630-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Sukumar et al. Art Unit: 1634
Patent No.: 6,835,541 B2 Examiner: J.S. Sitton
Issued: December 28, 2004
Application No.: 10/059,579
Filed: January 28, 2002
Title: ABERRANTLY METHYLATED GENES AS MARKERS OF BREAST
MALIGNANCY

CERTIFICATE OF CORRECTION BRANCH

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


TRANSMITTAL SHEET

Certificate
AUG 12 2005
of Correction

Sir:

Transmitted herewith for the above-identified patent please find:

1. Request for Certificate of Correction Under 37 CFR §1.322 (2 pages);
2. One (1) Sheet of PTO Form SB/44 Certificate of Correction (1 page); and
3. Return Receipt Postcard.

CERTIFICATION UNDER 37 CFR §1.8	
I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on this date, August 5, 2005, in an envelope addressed to: CERTIFICATE OF CORRECTION BRANCH, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
Aldon Griffis (Name of Person Mailing Paper)	
 (Signature)	August 5, 2005 (Date)

In re Patent of:
Sukumar et al.


Patent No.: 6,835,541 B2
Issued: December 28, 2004
Application No.: 10/059,579
Filed: January 28, 2002
Page 2

PATENT
Attorney Docket No.: JHU1630-1

No fee is deemed necessary in connection with the filing of this Request for Certificate of Correction under 37 C.F.R. § 1.322. However, if any fee is required, authorization is hereby given to charge the amount of any such fee, or credit any overpayment, to Deposit Account No. 07-1896. A duplicate copy of this Transmittal sheet is enclosed.

Respectfully submitted,

Date: August 5, 2005



Lisa A. Haile, J.D., Ph.D.
Registration No. 38,347
Telephone: (858) 677-1456
Facsimile: (858) 677-1465

USPTO Customer Number 28213
DLA PIPER RUDNICK GRAY CARY US LLP
4365 Executive Drive, Suite 1100
San Diego, CA 92121-2133



PATENT
ATTORNEY DOCKET NO.: JHU1630-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Sukumar et al. Art Unit: 1634
Patent No.: 6,835,541 B2 Examiner: J.S. Sitton
Issued: December 28, 2004
Application No.: 10/059,579
Filed: January 28, 2002
Title: ABERRANTLY METHYLATED GENES AS MARKERS OF BREAST
MALIGNANCY


CERTIFICATE OF CORRECTION BRANCH
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR §1.322

Sir:

Applicants hereby request that a certificate of correction be issued for the above-identified patent in accordance with 37 C.F.R. §1.322.

Attached hereto is One (1) Sheet of PTO Form SB/44, identifying the errors by reference to the section of the face page of the issued patent.

CERTIFICATION UNDER 37 CFR §1.8	
I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on this date, August 5, 2005, in an envelope addressed to: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.	
Aldon Griffis (Name of Person Mailing Paper)	
 (Signature)	August 5, 2005 (Date)

AUG 15 2005

In re Patent of:
Sukumar et al.

Patent No.: 6,835,541 B2
Issued: December 28, 2004
Application No.: 10/059,579
Filed: January 28, 2002
Page 2

PATENT
Attorney Docket No.: JHU1630-1

All errors sought to be corrected were made by the United States Patent and Trademark Office in transcribing the information in the pending application to the issued patent. Accordingly, Applicants submit that the Request for Certificate of Correction does not raise issues of new matter.

If a telephone conference with Applicants' representative may be of assistance, Applicants' representative can be reached at the phone numbers and address below.

No fee is deemed necessary in connection with the filing of this Request for Certificate of Correction under 37 C.F.R. §1.322. However, if any fee is required, authorization is hereby given to charge the amount of any such fee, or credit any overpayment, to Deposit Account No. 07-1896.

Respectfully submitted,

Date: August 5, 2005



Lisa A. Haile, J.D., Ph.D.
Registration No. 38,347
Telephone: (858) 677-1456
Facsimile: (858) 677-1465

USPTO Customer Number 28213
DLA PIPER RUDNICK GRAY CARY US LLP
4365 Executive Drive, Suite 1100
San Diego, CA 92121-2133

AUG 15 2005

15 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.: 6,835,541 B2
APPLICATION NO.: 10/059,579
ISSUE DATE: December 28, 2004
INVENTOR(S): Sukumar et al.

Page 1 of 1

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

TITLE PAGE

(63) Delete "Continuation-in-part of application No. 09/771,337, filed on Jan. 26, 2001."
and replace with --Continuation-in-part of application No. 09/771,357, filed on Jan. 26,
2001.--

Lisa A. Haile, J.D., Ph.D., Reg. No. 38,347
DLA Piper Rudnick Gray Cary US LLP
4365 Executive Drive, Suite 1100
San Diego, California 92121-2133
(858) 677-1456

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.